

ID 50mm DAC Column



EPCC / PRODUCTS / APPLICATION / SOFTWARE / ACCESSORIES / CONSUMABLES / SERVICES

Analytical Technologies Limited

An ISO 9001 Certified Company

www.analyticalgroup.net

- ▶▶ The DAC (dynamic axial compression) column adopts latest design by ATL. The piston of column always produces a stable pressure on packing bed which can effectively prevent the collapse and loose of the column bed.

The Characteristic of DAC column:

Short length, Large inner diameter, Pancake shaped. The length of the preparative column is similar with the analysis one, about 20cm to 50cm. It is far shorter than the open column which length is always more than 1m. Besides, its inner diameter is 10mm to 1000mm, so there will be no high pressure at high flow rate, the separation cycle of the pure material will be shorter and the yield will be higher.

Small packing material particle size, Narrow distribution. We can get higher column efficiency by using 10"20 μ m spherical porous packing material with narrow pore and particle size distribution instead of the big particle size (40"200 μ m) irregular one with wide distribution to pack the preparative column. Usually the theory plate can reach 20000 per meter. In suitable condition it can reach 40000 per meter just like the analytical column.

Packing process. It is difficult to packing a column more than 50mm by high pressure slurry packing method, in order to pack small particles into larger preparative column evenly, we always use column bed compression technique. As the DAC columns have been applied more each day in preparative chromatography, more and more research is concerned with the DAC performance and reproducibility, the result is the column efficiency is influenced by packing material character, slurry solvent character, pressure etc.

ID50mm DAC column	
Dimensions	500mm×500mm×1900mm
Weight	100kg
Inner diameter	50mm
Total column length	500mm
Max. bed height	300mm (NP 0.3kg packing material; RP 0.39kg packing material)!
Filter	Material: 316L Pore size: 3~5μm
Distributor	Two, in piston and column bottom, Material: 316L Distribution mode: Divergent
High pressure seal	Material: PTFE+316L
Design pressure	10Mpa
Operating temperature	5~60°C
Control Panel	air pressure gauge, oil gauge, regulating valve, Emergency stop switch, Change direction valve, Shut"off valve
Air source	≥6bar, output≥0.5m ³ /min
Column tube material	316L
Column bracket material	304
Roughness	Inner surface Ra≤0.4μm, outer surface Ra<1.6μm
Inlet diameter	1/16"
Outlet diameter	1/16"
Air inlet diameter	Φ8

HPLC Servicing, Validation, Trainings and Preventive Maintenance :

HPLC Servicing :HPLC Servicing : We have team of service engineers who can attend to any make of HPLC promptly @the most affordable cost.

Trainings :We also take up preventive Maintenance to reduce downtime of HPLC's Trainings.

AMC's/CMC :AMC's/CMC :We offer user training both in-House and at customer sites on HPLC principles, operations, trouble-shooting.

Validations :Validations :We have protocols for carrying out periodic Validations as per GLP/GMP/USFDA norms.


Instruments :Instruments :We offer instruments/Renting Services Modules like pumps,detector etc. on Rent.



About Analytical Technologies

Analytical Technologies is synonymous for offering technologies for doing analysis and is the Fastest Growing Global Brand having presence in at least 96 countries across the global. Analytical Technologies Limited is an ISO:9001 Certified Company engaged in Designing, Manufacturing, Marketing & providing Services for the Analytical, Chromatography, Spectroscopy, Bio Technology, Bio Medical, Clinical Diagnostics, Material Science & General Laboratory Instrumentation. Analytical Technologies, India has across the Country operations with at least 4 Regional Offices, 6 Branch Offices & Service Centers. Distributors & Channel partners worldwide.

Our Products & Technologies



UV/VIS
Spectro 2080+
Double Beam



Infra FTIR



Optima Gas
Chromatograph
3007



Optima Gas
Chromatograph
2979 Plus



Flash
Chromatograph




Atomic Absorption
Spectrophotometer



Liquid Particle
Counter



Optical Emission
Spectrophotometer



DSC/TGA



Semi Auto Bio
Chemistry Analyzer



HEMA 2062
Hematology
Analyzer



Micro Plate
Reader/Washer



URINOVA 2800
Urine Analyzer



Total Organic
Carbon 3800



Fully Automated
CLIA



NOVA-2100
Chemistry Analyzer



PCR/Gradient PCR/
RTPCR



TOC
Analyzer



Laser Particle
Size Analyzer



Ion Chromatograph



Water purification
system

Regulatory compliances



Corporate Social Responsibility

Analytical Foundation is a nonprofit organization (NGO) found for the purpose of:



Analytical
Foundation

1. Research & Innovation Scientist's awards/QC Professional Award : Quality life is possible by innovation only and the innovation is possible by research only, hence ANALYTICAL FOUNDATION is committed to identify such personalities for their contributions across various field of Science and Technology and awarding them yearly. To participate for award, send us your details of research / testing / publication at Info@analyticalfoundation.org

2. Improving quality of life by offering YOGA Training courses, Work shops/Seminars etc.

3. ANALYTICAL FOUNDATION aims to DETOXYFY human minds,souls and body by means of yoga, Meditation, Ayurveda, Health Care, Awards, Media, Events, Camps etc.

Reach us @



HPLC Solutions MultipleLabs Analytical Bio-Med Analytical Distributors Analytical Foundation (Trust)

Corporate & Regd. Office:
Analytical House, # E67 & E68,
Ravi Park, Vasna Road, Baroda,
Gujarat 390 015. INDIA

T: +91 265 2253620
+91 265 2252839
+91 265 2252370
F: +91 265 2254395

E: info@hplctechnologies.com
info@multiplelabs.com
info@analyticalgroup.net
info@analyticalbiomed.com

W. www.analyticalgroup.net
www.hplctechnologies.com
www.multiplelabs.com
www.ais-india.com

Sales & Support Offices:
across the country :
Distributors & Channel
partners World Wide

Note : Company reserves rights to add/delete/modify the contents / technical specifications of the catalogue without prior notice.