



# **Benchtop Ion Meter**



# **Safety Features:**

- Professional benchtop ion meter is capable of connecting the various ion selective electrodes.
- Microprocesso Controlled with ORP Measurement.
- 2 to 5 points calibration from low to high concentrations.
- > Direct ion concentration readout simplifies the elaborate measurement process.
- > Selectable multiple concentration units include the ppm, mg/L and mol/L.
- ➤ mV measurement mode allows checking the performance of ion selective electrode.
- Automatic Temperature Compensation ensures accurate measured values.
- > Calibration Due Reminder prompts user to calibrate the meter regularly.
- Stability indicator automatically shows current measurement status.
- > Auto-Hold function freezes stable reading for easy viewing and recording.
- > Selectable temperature unit (°C or °F) meets different application requirements.
- Automatic electrode diagnosis shows offset and electrode slope.
- ➤ Help message as a operational guide that helps you quickly begin using the meter.

  System menu allows setting the 8 parameters, including the ion valence, number of calibration
- > points, stability condition, etc.
- Reset feature automatically resumes parameters back to factory default options.
- Expanded memory stores and recalls up to 500 readings.
- ➤ Built-in real-time clock stamps stored data to meet GLP standard.
- > Stored data can be transferred into computer by USB communication interface.



#### **Meter Includes:**

- ➤ Ion Selective Electrode (Chosen by the customer)
- > Temperature probe
- ➤ USB cable
- ➤ DC5V power adapter

# **Specifications:**

Model	Analytical - BIM - 3931			
Ion Concentration Range	Refer to the range of ISE			
Ion Concentration Accuracy	±0.5% F.S (Monovalent), ±1% F.S (Divalent)			
Resolution	0.001, 0.01, 0.1, 1			
Calibration Points	2~5 points			
pH Range	-2.000 to 19.999			
Calibration Solutions	0.001, 0.01, 0.1, 1, 10, 100, 1000, 10000ppm, mg/L, mol/L			
Temperature Compensation	0-5°C~105°C, 32~212°F, Manual or Automatic			
Relative Humidity	5-85%			
mV Range	-1999.9~1999.9mV			
mV Accuracy	±0.2mV			
Resolution	0.1, 1mV, Selectable			
Hold Function	Manual or Automatic			
Relative Accuracy	<u>+</u> 0.004			
Stability Conditions	Low or High			
Power Off	Manual or Automatic (10, 20, 30 minutes)			
Memory	Stores up to 500 data sets			
Output	USB Communication Interface			
Connector	BNC			
Power Requirements	DC5V/400mA power adapter			
Dimensions	210(L)×188(W)×60(H)mm			
Weight	1.5Kg			
Display	LED			

# **Ion Selective Electrode Features:**

- > Combination ion selective electr
- > No reference electrode needed
- > Solid state sensors Ideal for unskilled operatives
- ➤ No filling solution required
- > Can be left dry for long periods
- ➤ Long lifetimeode



### **Specifications:**

Model	lon	Concentration (mol/L)	Limits (ppm)	pH Range	Temperature Range
NH4	Ammonium	5×10 <sup>-6</sup> ~1	0.1~18000	4~10	0~50°C
Br	Bromide	5×10 <sup>-6</sup> ~1	0.4~79900	1~12	0~80°C
Cd	Cadmium	1×10 <sup>-6</sup> ~0.1	0.01~11200	2~12	0~80°C
Ca	Calcium	5×10 <sup>-7</sup> ~1	0.02~4000	2.5~11	0~40°C
CL	Chloride	5×10 <sup>-6</sup> ~1	1.8~35500	2~12	0~80°C
Cu	Cupric	1×10 <sup>-8</sup> ~0.1	0.006~6400	2~12	0~80°C
Cn	Cyanide	5×10 <sup>-6</sup> ~0.01	0.2~260	10~14	0~80°C
F	Fluoride	1×10 <sup>-6</sup> ~Saturation	0.02~Saturation	5~7	0~80°C
	lodide	5×10 <sup>-8</sup> ~1	0.06~127000	0~14	0~50°C
Pb	Lead	1×10 <sup>-8</sup> ~0.1	0.2~20700	4~7	0~80°C
NO3	Nitrate	7×10 <sup>-6</sup> ~1	0.4~62000	2.5~11	0~50°C
K	Potassium	1×10 <sup>-6</sup> ~1	0.04~39000	2~12	0~40°C
Ag	Silver	1×10 <sup>-7</sup> ~1	0.01~107900	2~12	0~80°C
Na	Sodium	1×10 <sup>-5</sup> ~1	0.1~23000	>9	0~80°C
S	Sulphide	1×10 <sup>-7</sup> ~1	0.003~23100	2~12	0~80°C
NH3	Ammonia	1×10 <sup>-6</sup> ~1	0.02~17000	11	0~50°C

# **Support & Services**

# **Regulatory Compliances**







# **About Analytical Technologies**

Analytical Technologies is synonymous for offering technologies for doing analysis and is the Fastest Growing Global Brand having presence in at least 96 countries across the globe. Analytical Technologies Limited is an ISO :9001 Certified Company engaged in Designing, Manufaturing, Marketing & providing Services for the Analytical, Chromatography, Spectroscopy, Bio Technology, Bio Medical, Clinical Diagnostics, Material Science & General Laboratory Instrumentation. Analytical Technologies, India has across the Country operations with at least 4 Regional Offices, 6 Branch Offices & Service Centers. Distributors & Channel partners worldwide.

#### Regulatory compliances











# **Corporate Social Responsibility**



Analytical Foundation is a Nonprofit Organization (NGO) found for the purpose of:

- 1.Research & Innovation Scientist's awards / QC Professional Award: Quality life is possible by innovation only and the research possible by only, ANALYTICAL FOUNDATION is committed to identify such personallities for their contributions across various field of Science and Technology and awarding them yearly. To participate for award, send us your details of research / testing / publication at info@analyticalfoundation.org
- 2. Improving quality of life by offering YOGA Training courses, Work shops / Seminars etc.
- 3. ANALYTICAL FOUNDATION aims to DETOXIFY human minds, souls and body by means of Yoga, Meditation, Ayurveda, Health Care, Awards, Media, Events, Camps etc.

# Reach us @





**HPLC Solutions** MultipleLabs

**Analytical Bio-Med** 

**Analytical Distributors** 

**Analytical Foundation (Trust)** 

Corporate & Regd. Office: Analytical House, # E67 & E68, Ravi Park, Vasna Road, Baroda, Gujarat 390 015. INDIA

T: +91 265 2253620 +91 265 2252839 +91 265 2252370 F: +91 265 2254395 E: info@hplctechnologies.com info@multiplelabs.com info@analyticalgroup.net info@analyticalbiomed.com W. www.ais-india.com www.analycalgroup.net www.hplctechnologies.com www.multiplelabs.com

Sales & Support Offices: across the country Distributors & Channel partners World Wide

Company reserves rights to add/delete/modify the contents / technical specificationsof the catalogue without prior notice