


ISC-3819C/3819D

Integrating Sphere Components



EPCC / PRODUCTS / APPLICATION / SOFTWARE / ACCESSORIES / CONSUMABLES / SERVICES

Analytical Technologies Limited

An ISO 9001 Certified Company

www.analyticalgroup.net

ATL's 3819C (4 port spheres) and 3819D (3 port) Series Integrating Spheres are offered in sizes ranging from 2" to 6" in diameter with three different types of diffuse reflectance materials. They are designed to provide greater configuration flexibility, including a robust port frame design, compatible with many attachments and accessories. ATL also carries an extensive list of 3819M series accessories compatible with the 3819C and 3819D spheres, including port plugs, port reducers, port frame reducers, fiber adapters, ATL photo-diode detector adapters, sample holders, and base plates.

- New! Gold spheres ideal for mid-IR wavelength applications
- Total collection of light and spatial integration - useful for divergent and non-symmetrical beams
- Measurements insensitive to exact detector positioning
- Signal attenuation, advantageous in measurement of high-power beams
- High reflectance coating avoids direct damage from the first strike of the beam
- Thermally stable
- High UV-VIS-NIR reflectance




►► Sphere Materials

ATL provides three different types of inner-sphere materials to meet various requirements of users: Spectralon™, Spectrafect™, and gold. The Spectrafect™ coating has an effective range from 300 nm to 2400 nm, with reflectivity of >97% at 600 nm. It is a cost effective and adequate for most radiation measurement applications. The unmatched environmental stability and highperformance of the Spectralon™ based spheres are derived from their rugged monolithic thermoplastic material and are superior to coated integrating spheres. In addition, their high damage threshold surface can be cleaned with distilled water. Hydrophobic, chemically inert and thermally stable to 350°C, Spectralon™ Spheres can be used in more demanding environments, including underwater and high or low temperature processes. At the same time, reflectance exceeding 95% from 250–2500 nm, 98% from 310–2100 nm, and 99% from 400–1500 nm make them ideal for even the most demanding measurements from the ultraviolet to the near infrared.

The gold coated spheres are optimized to provide high level of diffuse reflectance from the longer 800 nm to 20 μ m (>90% at 800 nm, > 94% at 1550 nm) wavelength range. Its damage threshold is 4 times greater than Spectralon.

►► Flat Black Coating


Accessory products are available not only in either Spectralon™, Spectrafect™, or gold, but also in Flat Black type coating in some cases. Flat Black type highly absorbs light and is used to imitate an open port, which does not have any reflection, but to reduce introduction of ambient light into the sphere.



3819D 3-Port sphere port locations. Note that a 2" sphere shell is cubic.

►► Accessories

Various type os sphere accessories with different types of reflectance materials. Port expanders and reduces change the clear aperture size of a port. A port frame reducer reduces the clear aperture as well, however, an additional accessory can be mounted on the port frame. Port plugs are used to block an unused port. Also available are the detector adapters to mount ATL's 818 and 918D series photodiode detectors, fiber adapters, and base plates.



3819C 4-Port sphere port locations. Note that a 2" sphere shell is cubic.

►► Sphere Port Sizes

3-Port Spheres

Model (3 Port Spheres)	0 Deg Port	90 Deg Port	North Pole Port
3819D-GL-3	1.0 in.	1.0 in.	1.0 in.
3819D-GL-4	1.5 in.	1.0 in.	1.0 in.
3819D-GL-6	2.5 in.	1.0 in.	1.0 in.
3819D-SF-4	1.5 in. (w/ 1 in. port frame reducer)	1.0 in.	1.0 in.
3819D-SF-6	2.5 in. (w/ 1 in. port frame reducer)	1.0 in.	1.0 in.
3819D-SL-2	1.0 in.	0.5 in.	0.5 in.
3819D-SL-3.3	1.5 in. (w/ 1 in. port frame reducer)	1.0 in.	1.0 in.
3819D-SL-5.3	2.5 in. (w/ 1 in. port frame reducer)	1.0 in.	1.0 in.


4-Port Spheres

Model (4 Port Spheres)	0 Deg Port	90 Deg Port	180 Deg Port	North Pole Port
3819C-GL-3	1.0 in.	1.0 in.	1.0 in.	1.0 in.
3819C-GL-4	1.5 in.	1.0 in.	1.0 in.	1.0 in.
3819C-GL-6	2.5 in.	1.0 in.	1.0 in.	1.0 in.
3819C-SF-4	1.5 in. (w/ 1.5 in. port plug)	1.0 in.	1.0 in.	1.0 in.
3819C-SF-6	2.5 in. (w/ 2.5 in. port plug)	1.0 in.	1.0 in.	1.0 in.
3819C-SL-2	1.0 in. (w/ 1.0 in. port plug)	0.5 in.	0.5 in.	0.5 in.
3819C-SL-3.3	1.5 in. (w/ 1.5 in. port plug)	1.0 in.	1.0 in.	1.0 in.
3819C-SL-5.3	2.5 in. (w/ 2.5 in. port plug)	1.0 in.	1.0 in.	1.0 in.

Note that certain models come with accessories premounted. Refer to the table above for details.

Model (4 Port Spheres)	Sphere Diameter	Coating Type	Thermal Limit
3819C-SF-4, 3819D-SF-4	4-Inches	Spectrafect™	100
3819C-SF-6, 3819D-SF-6	6-Inches	Spectrafect™	100
3819C-SL-2, 3819D-SL-2	2-Inches	Spectralon™	350
3819C-SL-3.3, 3819D-SL-3.3	3.3-Inches	Spectralon™	350
3819C-SL-5.3, 3819D-SL-5.3	5.3-Inches	Spectralon™	350
3819C-GL-3, 3819D-GL-3	=1,Dimensions	Spectralon™	=1,Thermal Limit
3819C-GL-4, 3819D-GL-4	=3,Dimensions	Spectralon™	=3,Thermal Limit
3819C-GL-6, 3819D-GL-6	=5,Dimensions	Spectralon™	=5,Thermal Limit

►► Integrating Sphere Coatings



Typical Characteristics for Sphere Coatings

Port Expanders and Reducers

3819-PC-0.5	0.5 to 1.0 in. Port Expander
3819M-B-0.06-0.5	Integrating Sphere Port Reducer, 0.5 to 0.0625 inch, Flat Black
3819M-B-0.12-0.5	Integrating Sphere Port Reducer, 0.5 to 0.125 inch, Flat Black
3819M-B-0.12-1.0	Integrating Sphere Port Reducer, 1 to 0.125 inch, Flat Black
3819M-B-0.25-0.5	Integrating Sphere Port Reducer, 0.5 to 0.25 inch, Flat Black
3819M-B-0.25-1.0	Integrating Sphere Port Reducer, 1 to 0.25 inch, Flat Black
3819M-B-0.50-1.0	Integrating Sphere Port Reducer, 1 to 0.5 inch, Flat Black
3819M-B-0.75-1.0	Integrating Sphere Port Reducer, 1 to 0.75 inch, Flat Black
3819M-B-11-1.0	Integrating Sphere Port Reducer, 1 inch port reducer to 11 mm

Detector Adaptors

3819-DA	3819M-SM1-1.0
3819M-DAT	Detector Adaptor for 918(D) Series, to 1in Port
3819M-CM-1.0	Port Plug, 1.0 inch, Spectrafect, 3819 Series
3819M-SM1-1.0	SMA Fiber Adaptor, 1 inch, Flat Black, 3819 Series

Base Plates

3819M-B4	Base Plate, 3819 Integrating Sphere, 4 x 4 inch
3819M-B6	Base Plate, 3819 Integrating Sphere, 6 x 6 inch
3819M-B8	Base Plate, 3819 Integrating Sphere, 8 x 8 inch

Port Frame Reducers and Sample Holder

3819M-PFR-SF-1.5	Port Frame Reducer, 1.5 to 1 inch, Spectrafect, 3819M Series
3819M-SAM-1.0	Sample Holder, 1 inch port, External Mounting, 3819 Series
3819M-PFR-1.0-2.5	Port Frame Reducer, 2.5 to 1 inch, Spectrafect, 3819M Series
3819M-G-0.50-1.0	Port Reducer 1" to 0.5", Diffused Gold, 3819 Series

Fiber Adaptors

3819M-FC-0.5	FC Fiber Adaptor, 0.5 inch Port, Flat Black, 3819 Series
3819M-FC-1.0	FC Fiber Adaptor, 1 inch Port, Flat Black, 3819 Series
3819M-LC-0.5	LC Fiber Adaptor, 0.5 inch Port, Flat Black, 3819 Series
3819M-LC-1.0	LC Fiber Adaptor, 1 inch Port, Flat Black, 3819 Series
3819M-SMA-0.5	SMA Fiber Adaptor, 0.5 inch, Flat Black, 3819 Series
3819M-SMA-1.0	SMA Fiber Adaptor, 1 inch, Flat Black, 3819 Series
3819M-ST-0.5	ST Fiber Adaptor, 0.5 inch, Flat Black, 3819 Series
3819M-ST-1.0	ST Fiber Adaptor, 1 inch, Flat Black, 3819 Series
3819M-SMA-0.5G	SMA Fiber Adaptor, 0.5 inch, Flat Black, 3819 Series
3819M-SMA-1.0G	SMA Fiber Adaptor, 1 inch, Flat Black, 3819 Series

Port Plugs

3819M-PP-SF-0.5	Port Plug, 0.5 inch, Spectrafect, 3819 Series
3819M-PP-SF-1.0	Port Plug, 1.0 inch, Spectrafect, 3819 Series
3819M-PP-SF-1.5	Port Plug, 1.5 inch, Spectrafect, 3819 Series
3819M-PP-SF-2.5	Port Plug, 2.5 inch, Spectrafect, 3819 Series
3819M-PP-SL-0.5	Port Plug, 0.5 inch, Spectralon, 3819 Series
3819M-PP-SL-1.0	Port Plug, 1.0 inch, Spectralon, 3819 Series
3819M-PP-SL-1.5	Port Plug, 1.5 inch, Spectralon, 3819 Series
3819M-PP-SL-2.5	Port Plug, 2.5 inch, Spectralon, 3819 Series
3819M-PP-1.0	Port Plug, 1.0 inch, Spectrafect, 3819 Series
3819M-PP-2.5	Port Plug, 1.0 inch, Spectrafect, 3819 Series
3819M-PP-GL-1.0	Port Plug, 1.0 inch, Diffused Gold, 3819 Series
3819M-PP-GL-0.5	Port Plug, 1.0 inch, Diffused Gold, 3819 Series

HPLC Servicing, Validation, Trainings and Preventive Maintenance :

HPLC Servicing :HPLC Servicing : We have team of service engineers who can attend to any make of HPLC promptly @the most affordable cost.

Trainings :We also take up preventive Maintenance to reduce downtime of HPLC's Trainings.

AMC's/CMC :AMC's/CMC :We offer user training both in-House and at customer sites on HPLC principles, operations, trouble-shooting.

Validations :Validations :We have protocols for carrying out periodic Validations as per GLP/GMP/USFDA norms.

Instruments :Instruments :We offer instruments/Renting Services Modules like pumps,detector etc. on Rent.



About Analytical Technologies

Analytical Technologies is synonymous for offering technologies for doing analysis and is the Fastest Growing Global Brand having presence in at least 96 countries across the global. Analytical Technologies Limited is an ISO:9001 Certified Company engaged in Designing, Manufacturing, Marketing & providing Services for the Analytical, Chromatography, Spectroscopy, Bio Technology, Bio Medical, Clinical Diagnostics, Material Science & General Laboratory Instrumentation. Analytical Technologies, India has across the Country operations with at least 4 Regional Offices, 6 Branch Offices & Service Centers. Distributors & Channel partners worldwide.

Our Products & Technologies



UV/VIS
Spectro 2080+
Double Beam



Infra FTIR



Optima Gas
Chromatograph
3007



Optima Gas
Chromatograph
2979 Plus



Flash
Chromatograph



Atomic Absorption
Spectrophotometer



Liquid Particle
Counter



Optical Emission
Spectrophotometer



DSC/TGA



Semi Auto Bio
Chemistry Analyzer



HEMA 2062
Hematology
Analyzer



Micro Plate
Reader/Washer



URINOVA 2800
Urine Analyzer



Total Organic
Carbon 3800



Fully Automated
CLIA



NOVA-2100
Chemistry Analyzer



PCR/Gradient PCR/
RTPCR



TOC
Analyzer



Laser Particle
Size Analyzer



Ion Chromatograph



Water purification
system

Regulatory compliances



Corporate Social Responsibility

Analytical Foundation is a nonprofit organization (NGO) found for the purpose of:



Analytical
Foundation

1. Research & Innovation Scientist's awards/QC Professional Award : Quality life is possible by innovation only and the innovation is possible by research only, hence ANALYTICAL FOUNDATION is committed to identify such personalities for their contributions across various field of Science and Technology and awarding them yearly. To participate for award, send us your details of research / testing / publication at Info@analyticalfoundation.org

2. Improving quality of life by offering YOGA Training courses, Work shops/Seminars etc.

3. ANALYTICAL FOUNDATION aims to DETOXYFY human minds,souls and body by means of yoga, Meditation, Ayurveda, Health Care, Awards, Media, Events, Camps etc.

Reach us @



 **Analytical**®
Technologies Limited

HPLC Solutions MultipleLabs Analytical Bio-Med Analytical Distributors Analytical Foundation (Trust)

Corporate & Regd. Office:
Analytical House, # E67 & E68,
Ravi Park, Vasna Road, Baroda,
Gujarat 390 015. INDIA

T: +91 265 2253620
+91 265 2252839
+91 265 2252370
F: +91 265 2254395

E: info@hplctechnologies.com
info@multiplelabs.com
info@analyticalgroup.net
info@analyticalbiomed.com

W. www.analyticalgroup.net
www.hplctechnologies.com
www.multiplelabs.com
www.ais-india.com

Sales & Support Offices:
across the country :
Distributors & Channel
partners World Wide