







EPCC / PRODUCTS / APPLICATION / SOFTWARE / ACCESSORIES / CONSUMABLES / SERVICES

Analytical Technologies Limited

An ISO 9001 Certified Company

www.analyticalgroup.net




MSQ-3140 One box solution for MS detection

Combining the vacuum system electronics and computer inside one box, our patented MSQ-3140 products and integrated software provide immediate insights into biological or chemical samples and reactions. This enable users to make quick decisions in real-time to optimise conditions and control process more easily.

Reliable, robust and user-friendly, the MSQ-3140 can be installed where no other mass spectrometer can be easily deployed, all while retaining the performance of a conventional mass spectrometer system.

- Small footprint enables deployment anywhere within laboratory or processing facilities
- Fully integrated system, with no external vacuum pumps, and no external PC
- Easy to use, simply"olug and play" consumables
- Single quadrupole with a mass range of 1400 m/z



02

Schematic diagram of MSQ-3140











Vac-chip

Spraychip

Accelerate discovery: Compress timelines for the identification of new drug candidates for a faster route to market

- Bringing analytical capability to e workspace, the MSQ-3140 identifies and characterises compounds as reactions progress, removing the need to wait for information from centralised QC/QA inspection steps.
- Providing more specific and more sensitive data than traditional UV detection methods, the MSQ-3140 allows point of need MS on bench, in fume hood, or in-process.

Model	MSQ-3140	
lon source	Spraychip-electrospray ionization source	
lonization modes	Positive and Negative ESI	
Flow rate range	0.3-2000 μL/min	
Mass analyzer	Ionchip-quadrupole mass filter	
Mass range	50-1400 m/z	
Mass accuracy	±0.3 m/z in full scan*	
Mass resolution	0.7 m/z FWHM*0.1	
Sensitivity	vac-chip-off axis microengineered atmospheric pressure interface	
Dynamic range	3-4 orders of magnitude	
Scan modes	Full scan, SIM, simultaneous scan/SIM, and timed SIM	
Pumping system	Integrated three oil-free pumps (no floor pump needed)	
Computer	Built-in PC	
Software control	Masscape, Clarity, PrepCon, Remote Operations Protocol	
Nitrogen gas requirements	2.5L/min, 99.5% purity, 2-6 bar (29-87 psi) pressure	
Dimensions	55 x 35 x 25 cm (22 x 14 x 10 in.) (including PC, pump and exhaust)	
Weight	32 kg (including PC, pump and exhaust)	

03

>> Technical specifications




Application

With a mass range to 1400 m/z, the MSQ-3140 can be used for broad range of pharmaceutical and biopharmaceutical applications. When combined with the ATL MSQAS compact interface sampling module, it can also be easily deployed in a variety of online, at-line and off-line applications.

Versatile integration: Expand point - of - need data for fast, detailed sample analysis


Interfacing with a whole range of equipment from HPLC, LC, and Prep-LC, to more direct introduction methods from your workflow. Our system also couple to other front-end separation devices, such as TLC, CE and Nano-LC.

TLC-MS



UV 254 nm

Microfluidics LC-MS



Gradient Separation: A: 0.1% FA B: Acetonitrile Gradient: 5 L/min, 0-1.5 min: 50%-70%B, 1.5-5 min, 70%B Column: PEEKsil C18 100 x 0.3 mm, 5 μm

	Measured Mass	Accurate Mass	Accuracy(ppm)
1	118.2	118.09	931
2	322.0	322.05	155
3	622.2	622.03	273
4	922.2	922.01	206



bb Benefit

- Simple maintenance Hours VS Days
- Completely tool-less front end Ultra-fast quick release "bayonet" style
- "Plug and Play" No need for alignment
- Nano-flow ESI
 Low flow applications exceptional ionisation efficiency
- Remote software module Quick and seamless integration with third party separation workflows
- Low flow rate N2 Cylinder vs being plumbed in
- Easy installation Up and running within 30 minutes
- m/z 50 to 1400

MSQAS automated sampling

A compact liquid sampling interface, our optional MSQAS module allows automated sampling, dilution and injection for direct mass spectrometer analysis at the point of reaction or during processing.

Integrating seamlessly with the MSQ-3140, MSQAS enables the system to be deployed in a large variety of on-line, at line and off-line pharmaceutical and biopharmaceutical applications.

05

Featuring a make-up pump and active splitter,MSQAS dilutes samples from the reaction flow for direct analysis in the MSQ-3140 mass spectrometer detector. Additionally, its automated sample sequences include flushing to ensure no carry-over.





Regulatory compliances





Corporate Social Responsibility

Analytical Foundation is a nonprofit organization (NGO) found for the purpose of:



1.Research & Innovation Scientist's awards/QC Professional Award : Quality life is possible by innovation only and the innovation is possible by research only, hence ANALYTICAL FOUNDATION is committed to identify such personallities for their contributions across various field of Science and Technology and awarding them yearly. To participate for award, send us your details of research / testing / publication at Info@analyticalfoundation.org

2. Improving quality of life by offering YOGA Training courses, Work shops/Seminars etc.

3. ANALYTICAL FOUNDATION aims to DETOXIFY human minds, souls and body by means of yoga, Meditation, Ayurveda, Health Care, Awards, Media, Events, Camps etc.





Technologies Limited

HPLC Solutions Corporate & Regd. Office: Analytical House, # E67 & E68,

Ravi Park, Vasna Road, Baroda,

Gujarat 390 015. INDIA

T +91 265 2253620 +91 265 2252839 +91 265 2252370 F: +91 265 2254395

MultipleLabs

Analytical Bio-Med **Analytical Distributors**

E: info@hplctechnologies.com

info@analyticalgroup.net

info@analyticalbiomed.com

info@multiplelabs.com

Analytical Foundation (Trust)

W www.analycalgroup.net www.hplctechnologies.com www.multiplelabs.com www.ais-india.com

Sales & Support Offices: across the country : **Distributors & Channel** partners World Wide