

Microprocessor Flame Photometer

2382



EPC / PRODUCTS / APPLICATION / SOFTWARE / ACCESSORIES / CONSUMABLES / SERVICES

Analytical Technologies Limited

An ISO 9001 Certified Company

www.analyticalgroup.net

MICROPROCESSOR FLAME PHOTOMETER, MODEL 2382 is an ideal instrument for the determination of Sodium, Potassium, Calcium and Lithium. It uses the latest microcontroller technology and advanced engineering techniques so as to give enhanced accuracy and reproducibility. It has soft touch membrane keys for ease of operation. The solution is aspirated through an atomiser. Air, sample and the fuel are mixed in the mixing chamber which is then sprayed as a very fine mist into the flame.

The color of the flame is changed depending upon the concentration of elements present. Radiations from the flame passes through the sensing system and specific narrow band interference filter which permits only the characteristic radiation to pass to the photo-detector. The output of the photo-detector is then processed by the microcontroller and the final results are displayed on the digital display.

The 5 point calibration facility and non-linearity correction is provided through an automatic curve fitting software. Facility has been provided for re-standardization with a single standard, thereby, eliminating the need of multiple standards once a calibration has been performed.

►► **Advantages :**

- μ P Based With Printer Interface
- Four Element Measurement In Single Aspiration Of The Sample
- Calibration Curve Programmability Using Maximum Of 5 Standards
- Data Processing Through Curve Fitting Techniques - Least Squares, Quadratic
- Multiple Calibration Curves Saving Facility
- Samples Data Storage Facility
- Printer Attachment Facility
- Measurement In ppm & meq
- Useful For Both Medical & Soil Testing Applications

►► **Compressor Unit :**

Air Supply	By oil free mini compressor unit with pressure regulator
Combustion Gas LPG	Controlled by precision regulator
Power	230 V \pm 10% AC, 50 Hz
Dimensions (LxBxH)	290 x 255 x 210 mm (Approx.)
Weight	8 Kg. (Approx.)

►► Technical Data :

	ppm	General Range ppm meq/l	General Range Serum Range	General Range Urine Range
RANGE	Na	: 0-100 Upto 250 meq/l, 1:100 dil.	0-200 meq/l, 1:100 dil.	0-250 meq/l, 1:100 dil.
	K	: 0-100 Upto 250 meq/l, 1:100 dil.	0-10 meq/l, 1:100 dil.	0-100 meq/l, 1:100 dil.
	Ca	: 0-100 Upto 250 meq/l, 1:100 dil.	-	0-10 meq/l, 1:2 dil.
	Li	: 0-100 Upto 250 meq/l, 1:100 dil.	0-2 meq/l, 1:5 dil.	-
SENSITIVITY	General Mode : Na:0.5 ppm, K:0.5 ppm, Li:0.5 ppm, Ca:15 ppm			
FILTERS	Na & K Supplied (Ca & Li are optional at extra cost)			
RESOLUTION	0.1 ppm / meq.			
REPRODUCIBILITY	±2% FS ± 2 Digits			
CURVE FIR ACCURACY	±2% of FS			
DISPLAY	20 x 4 Character alphanumeric LCD display with backlit			
AVERAGE TIME In-built	In-built in Software			
FLAMES YSTEM	LPG & Dry Oil Free Air			
DETECTOR	Photodiode			
CALIBRATION	Up to 5 Point Calibration with Curve Fitting Software			
GAS CONTROL	Adjustable with knob			
IGNITION SYSTEM	Auto Ignition			
AUTOMISER	Axial Flow Type			
DIMENSIONS(LxBxH)	365 x 245 x 220 mm Approx.			
PRINTER	Provision for attachment of Dot-Matrix Printer or HP Laserjet/ Inkjet printer (non-win printers) with centronics parallel interface			
RS 232 INTERFACE	Available (PC software at extra cost)			
WEIGHT Main	Main Unit : 7.5 Kg. (Approx.) Compressor : 8 K. g(Approx.)			
POWER SUPPLY	230 V AC ± 10%, 50 Hz			

►► Product Range :

Semi Auto Analyser, Microprocessor UV/VIS Spectrophotometer, Microprocessor pH Meter, Microprocessor Conductivity Meter, Microprocessor Photo Colorimeter, Turbidity Meter, Microprocessor KF Titrimeter, Microprocessor DO Meter, Microprocessor TDS Meter, Temperature Indicator, Microprocessor Water & Soil Analysis Kit, Microprocessor Salinity Meter, Digital Colony Counter, Portable pH Meter, Portable Conductivity Meter, Portable TDS Meter, Portable DO Meter, Digital Tablet Disintegration Apparatus, Digital Friability Test Apparatus.

Other Flamephotometers available : Microprocessor Flame Photometer Model 2391, 2381 & 2382

▶▶ Regulatory compliances



▶▶ Corporate Social Responsibility

Analytical Foundation is a Nonprofit Organization (NGO) found for the purpose of:



Analytical Foundation

1. Research & Innovation Scientist's awards / QC Professional Award : Quality life is possible by innovation only and the innovation is possible by research only, hence ANALYTICAL FOUNDATION is committed to identify such personalities for their contributions across various field of Science and Technology and awarding them yearly. To participate for award, send us your details of research / testing / publication at info@analyticalfoundation.org

2. Improving quality of life by offering YOGA Training courses, Work shops / Seminars etc.

3. ANALYTICAL FOUNDATION aims to DETOXYFY human minds, souls and body by means of Yoga, Meditation, Ayurveda, Health Care, Awards, Media, Events, Camps etc.

▶▶ Reach us @



HPLC Solutions MultipleLabs Analytical Bio-Med Analytical Distributors Analytical Foundation (Trust)

Corporate & Regd. Office:
Analytical House, # E67 & E68,
Ravi Park, Vasna Road, Baroda,
Gujarat 390 015. INDIA

T: +91 265 2253620
+91 265 2252839
+91 265 2252370
F: +91 265 2254395

E: info@hplctechnologies.com
info@multiplelabs.com
info@analyticalgroup.net
info@analyticalbiomed.com

W. www.ais-india.com
www.analyticalgroup.net
www.hplctechnologies.com
www.multiplelabs.com

Sales & Support Offices:
across the country :
Distributors & Channel
partners World Wide

Note : Company reserves rights to add/delete/modify the contents /technical specifications of the catalogue without prior notice.