

NanoBio Spectrophotometer 3000 Series



EPC / PRODUCTS / APPLICATION / SOFTWARE / ACCESSORIES / CONSUMABLES / SERVICES

Analytical Technologies Limited

An ISO 9001 Certified Company

www.analyticalgroup.net

►► DESCRIPTION :

1. User-friendly software, easy to use.

It is easy to use, free software updates are available

2. Micro-volumes measuring.

Only require 0.5~2µl sample to accurate determinate of nucleic acids, proteins

3. Fast and easy measurements.

Turn on and instantly measure without lamp warm up time; Easy measurement within 8 sec

4. Long life's Xenon flash lamp.

Xenon flash lamp, 10 flashes, up to 10 years, no cells or cuvettes, no dilutions and expensive consumables

5. No consumables required.

Direct microvolume measurements from 1–2µL of sample. Eliminates the need for expensive accessories.

6. No computer required and with touch screen (Nano-3200, Nano-3300)

Nano-3300 is equipped with Android system operation.

7. The Nano-3100 / Nano-3300 are full range of wavelength (200-800nm) detection ability;

The Nano-3200 is a basic UV spectrophotometer specifically designed (only three types of wavelength 230nm, 260nm and 280nm) for nucleic acids and proteins

NANO-3100 HIGHLIGHTS

1. Turn on and instantly measure without lamp warm up time; Full scan capability from 200-800nm within 5 sec
2. Detects Nucleic Acids up to 4500ng/ul (dsDNA)
3. Element linear silicon CCD array
4. Internal Storage : 32 GB flash Memory
5. Audio : Built in Speaker

NANO-3200 HIGHLIGHTS

1. Nano-3200 is a basic micro-volume UV spectrophotometer designed (only 3 types of wavelength: 230nm, 260nm and 280nm) for the measurement of nucleic acids and proteins.
2. Touch screen and panel operation with built-in controls and software, without computer
3. The data can be printed with built-in printer, the data can output via SD-RAM Card and USB memory
4. Measure nucleic acids concentration at 260nm, and purity using the 260/280 ratio. Measure purified protein at 280nm

NANO-3300 HIGHLIGHTS

1. Nano-3300 is an improved Micro-Spectrophotometer based on Nano-3100 with 200-800nm. It is added a function of bacterium cell concentration detection (OD600)
2. Android system operation, 7 inch touch screen no computer, APP soft, simple interface, easy to use
3. Turn on and instantly measure without lamp warm up time; Full scan capability from 200-800nm within 6 sec
4. The data can be printed with built-in printer, and can output via SD-RAM Card and USB memory
5. When the Nano-3300 is idly left more than 5mins, it will switch off automatically. Then, the user can awake the machine by touching the screen

►► SPECIFICATIONS :

Model	Nano 3100	Nano 3200	Nano 3300
Wavelength Range	190~850nm	230nm, 260nm, 280nm	200~800nm
Minimum Sample Size	0.5~2.0µl	0.5~2.0µl	0.5~2.0
Path Length	auto-ranging 0.03 to 1.0mm	0.2mm(High concentration) 1.0mm (Ordinary concentration)	0.2mm (High concentration) 1.0mm (Ordinary concentration)
Light Source	Xenon flash lamp	Xenon flash lamp	Xenon flash lamp
Detector Type	2048-Element linear silicon CCD array	Photodiode	vElement linear silicon CCD array
Wavelength Accuracy	1nm	----	1nm
Spectral Resolution	≤1.8nm(FWHM at Hg 254nm)	----	≤3nm(FWHM at Hg 546nm)
Absorbance Precision	0.002Abs	0.002Abs	0.003Abs
Absorbance Accuracy	1% (7.332Abs at 260nm)	1% (7.332Abs at 260nm)	1% (7.332Abs at 260nm)
Absorbance Range	Pedestal: 0-550 A (10 mm equivalent)	0.02-250A (10mm equivalent absorbance)	0.02-290A (10mm equivalent absorbance)
	Cuvette: 0-1.5A		
Detection Limit	Pedestal: 2 ng/µl (ds DNA) and 60 ng/ul BSA	10 ng/µl (ds DNA)	10 ng/µl (ds DNA)
	Cuvette: 0.2 ng/µl		
Maximum concentration	27,500ng/µl (dsDNA) 80000ng/ul BSA	14,500 ng/µl (ds DNA) 40000ng/ul BSA	16,000 ng/µl (ds DNA) 60000ng/ul BSA
Measurement time	<5 seconds	<10S	<10S
Dimensions (W x D x H)mm	200 x 250 x 166	210 x 268 x 181	210 x 268 x 181
Weight	2.6kg	2.8kg	3.0kg
Sample pedestal Material	Aluminum alloy and Quartz fiber	Aluminum alloy and Quartz fiber	Aluminum alloy and Quartz fiber
Sample contaminant identification facility	Yes	Yes	Yes
Operating Voltage	12V DC	24V DC	24V DC
Operating Power Consumption	20W	40W	40W
Standby Power Consumption	5W	5W	5W
Software Compatibility	Windows 7, Windows XP, Windows10	Win CE	Android System
OD600nm Measurement			
Light Source	----	----	LED
Wavelength Range	----	----	600±8nm
Absorbance Range	----	----	0~3A

▶▶ Regulatory compliances



▶▶ Corporate Social Responsibility

Analytical Foundation is a Nonprofit Organization (NGO) found for the purpose of:



Analytical Foundation

1. Research & Innovation Scientist's awards / QC Professional Award : Quality life is possible by innovation only and the innovation is possible by research only, hence ANALYTICAL FOUNDATION is committed to identify such personalities for their contributions across various field of Science and Technology and awarding them yearly. To participate for award, send us your details of research / testing / publication at info@analyticalfoundation.org

2. Improving quality of life by offering YOGA Training courses, Work shops / Seminars etc.

3. ANALYTICAL FOUNDATION aims to DETOXYFY human minds, souls and body by means of Yoga, Meditation, Ayurveda, Health Care, Awards, Media, Events, Camps etc.

▶▶ Reach us @



 **Analytical**®
Technologies Limited

HPLC Solutions

MultipleLabs

Analytical Bio-Med

Analytical Distributors

Analytical Foundation (Trust)

Corporate & Regd. Office:
Analytical House, # E67 & E68,
Ravi Park, Vasna Road, Baroda,
Gujarat 390 015. INDIA

T: +91 265 2253620
+91 265 2252839
+91 265 2252370
F: +91 265 2254395

E: info@hplctechnologies.com
info@multiplelabs.com
info@analyticalgroup.net
info@analyticalbiomed.com

W. www.ais-india.com
www.analyticalgroup.net
www.hplctechnologies.com
www.multiplelabs.com

Sales & Support Offices:
across the country :
Distributors & Channel
partners World Wide

Note : Company reserves rights to add/delete/modify the contents / technical specifications of the catalogue without prior notice.