







EPCC / PRODUCTS / APPLICATION / SOFTWARE / ACCESSORIES / CONSUMABLES / SERVICES

Analytical Technologies Limited

An ISO 9001 Certified Company

www.analyticalgroup.net



Product Description:

the UV-Vis spectrophotometer is designed with brand new light path & sensitive Photomultiplier receiver, which can be widely used in the research and production of organic chemistry, biochemistry, medical testing, food testing, environmental protection, water testing industry, etc. The latest ARM system and long optical system ensure high accuracy and good stability of the instrument. They are the best choice of high quality spectrophotometer.

Feature

• Imported Deuterium lamp & photomultiplier tube makes the instrument more accurate, stable & high-efficient.

• the in-house massive memory is capable of saving up to 1024M for test data & working curves. It supports USB storage.

The USB port can be used for data transfer, which is easily exported to Excel for further processing, analysis and storage.

- Powerful functions like Photometric measurement, Quantitative measurement, Kinetics, Spectrum scan, DNA\Protein test, multi-wavelength test, etc and Monochromator: Czerny-Turner
- Socket type deuterium lamp and tungsten lamp can make lamps switching without optics debugging and easier to be replaced.
- Data processing: software based with integrating & derivative plot facility (minimum up to 2nd order derivative)
- Large room for samples can hold cuvettes of various specifications.
- Auto 8-cell holder is optional.
- 21 CFR Management software is optional.

Specifications:

| Model | PMT- 3000F | PMT- 3000SF | PMT- 3000V | PMT- 3000TF | РМТ- 3000TSF | РМТ- 3000TV | |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------------------------------|----------------|-----------------|-----------------------------------------------|--|
| Picture | | | | | | | |
| Type of sample cell | quartz | | | | | | |
| Grating | Holographic grating 1200 lines/mm | | | | | | |
| Optical System | Double beam sealed optics | | | | | | |
| Wavelength Range | 190-1100nm | | | | | | |
| Spectral Bandwidth | 2nm | 1nm | 0.1/0.2/0.5/1/2/5 with 0.1 nm increment | 2nm | 1nm | 0.1/0.2/0.5/1/2/5 with 0.1 nm increment | |
| Wavelength Accuracy | ±0.1nm (656.1nm D2) ±0.3 nm all entire range | | | | | | |
| Wavelength Repeatability | ±0.05nm | | | | | | |
| Wavelength Reproducibility | <0.05nm or better | | | | | | |
| Photometric Accuracy | ± 0.002 Abs at 0.5 Abs, ± 0.003 at 1 Abs, ± 0.006 at 2 Abs $\pm 0.3\%$ T Measured Using: NIST930 D/NIST1930 | | | | | | |
| Photometric Repeatability | ±0.001 Abs (0.5 Abs), ±0.001 Abs (1 Abs) ±0.002 Abs (2 Abs) ±0.1%T | | | | | | |
| Photometric Range | -4.0 to 4.0 Abs Transmittance %, Reflectance 0-400% | | | | | | |
| Photomatric Mode | Absorbance, Transmittance %, Reflectance, energy | | | | | | |

02



| Photometric Reproducibility | ±0.001 Abs | | | | | | |
|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|---------------|--------------------------------------------|---------------|--|--|--|
| Stray Light | MAX 1.0%, At 200 nm (KCI): Max 0.005%, At 220 nm Nal ASTM method): Max:0.0025% At 340 nm/370nm (NaNO2) | | | | | | |
| Noise | ±0.00005Abs at (700nm) | | | | | | |
| Stability | ±0.0002A/h@500 |)nm | ±0.0002A/h @700 nm | | | | |
| Baseline linearity | ±0.001A | | ±0.0003A | ±0.001A | | | |
| Baseline flatness | 190 to 900 nm ±0.0004 Abs/h 1Hr warm up | | | | | | |
| Work mode | T, A, C, E | | | | | | |
| Scanning speed | Fast, Mid, Slow Variable from 1 to 4000nm/min | | | | | | |
| Resolution | 0.1nm | | | | | | |
| Wavelength Slew Rate | 12000 to 1.0 nm/min | | | | | | |
| Wavelength setting | Auto | | | | | | |
| Display | 7" color LCD | | 10.1" color touch LCD with Up to 4 Decimal | | | | |
| Light Source | Imported Deuterium &Tungsten lamp | | | | | | |
| Detector | Imported Photomultiplier tube | | | | | | |
| Output | USB/RS232 | | | | | | |
| Power | AC 220V/50Hz or AC 110V/60Hz | | | | | | |
| Ambient temperature | 10-45°C | | | | | | |
| Humidity range | 10-90% | | | | | | |
| Dimension | 590 x 475 x 250mm | 760*560*280mm | 590 x 475 x 250mm | 760*560*280mm | | | |
| Net Weight | 20kg | 28kg | 20kg | 28kg | | | |
| Shipping Size | 770*630*340mm | 950*750*420mm | 770*630*340mm | 950*750*420mm | | | |
| Gross Weight | 27kg | 36kg | 27kg | 36kg | | | |
| Temperature Controlled System, Water free with water temperature cycling from 5°C to 80°C | | | | | | | |

UV SPECTRATM Control Software:

Wavelength scan (Abs, %T, %R, Sam, Ref),

Time scan (Abs, %T, %R, Sam, Ref)

Fixed wavelength, Abs & %T monitor, Quantitative Analysis mode,

Analysis mode with Autoscale , Trace, Zoom,

Peak/Valley picking Area, Height calculation, Derivative method Multiple Views/Overlay,

03



HPLC Servicing, Validation, Trainings and Preventive Maintenance :

HPLC Servicing :HPLC Servicing : We have team of service engineers who can attend to any make of HPLC promptly @the most affordable cost. Trainings :We also take up preventive Maintenace to reduce downtime of HPLC's Trainings. :AMC's/CMC :We offer user training both in-House and at customer sites on HPLC principles, operations, trouble-AMC's/CMC shooting. Validations :Validations :We have protocols for carrying out periodic Validations as per GLP/GMP/USFDA norms.

Instruments :Instruments :We offer instruments/Renting Services Modules like pumps, detector etc. on Rent.





About Analytical Technologies

Analytical Technologies is synonymous for offering technologies for doing analysis and is the Fastest Growing Global Brand having presence in at least 96 countries across the global. Analytical Technologies Limited is an ISO:9001 Certified Company engaged in Designing, Manufaturing, Marketing & providing Services for the Analytical, Chromatography, Spectroscopy, Bio Technology, Bio Medical, Clinical Diagnostics, Material Science & General Laboratory Instrumentation. Analytical Technologies, India has across the Country operations with at least 4 Regional Offices, 6 Branch Offices & Service Centers. Distributors & Channel partners worldwide.

Optima Gas

Chromatograph

2979 Plus

Our Products & Technologies

Infra FTIR



UV/VIS Spectro 2080+ **Double Beam**



Optical Emission Spectrophotometer



Fully Automated

CLIA

NOVA-2100

Chemistry Analyzer

DSC/TGA



PCR/Gradient PCR/

RTPCR

Optima Gas

Chromatograph

3007







TOC Analyzer



Flash Chromatograph



Micro Plate Reader/Washer



Laser Particle

Size Analyzer



Atomic Absorption

Spectrophotometer

URINOVA 2800

Urine Analyzer

Ion Chromatograph



Liquid Partical Counter



Total Organic Carbon 3800





Water purification system

HEMA 2062 Hematology Analyzer

Regulatory compliances



Corporate Social Responsibility

Analytical Foundation is a nonprofit organization (NGO) found for the purpose of:



Reach us @

1.Research & Innovation Scientist's awards/QC Professional Award : Quality life is possible by innovation only and the innovation is possible by research only, hence ANALYTICAL FOUNDATION is committed to identify such personallities for their contributions across various field of Science and Technology and awarding them yearly. To participate for award, send us your details of research / testing / publication at Info@analyticalfoundation.org

2. Improving quality of life by offering YOGA Training courses, Work shops/Seminars etc.

3. ANALYTICAL FOUNDATION aims to DETOXIFY human minds, souls and body by means of yoga, Meditation, Ayurveda, Health Care, Awards, Media, Events, Camps etc.

Mp Stellte Genade Fund Fund



Technologies Limited

HPLC Solutions MultipleLabs Analytical Bio-Med

ed Analytical Distributors

Analytical Foundation (Trust)

Corporate & Regd. Office: Analytical House, # E67 & E68, Ravi Park, Vasna Road, Baroda, Gujarat 390 015. INDIA

+91 265 2252839 +91 265 2252370 F: +91 265 2254395 E: info@hplctechnologies.com info@multiplelabs.com info@analyticalgroup.net info@analyticalbiomed.com W. www.analycalgroup.net www.hplctechnologies.com www.multiplelabs.com www.ais-india.com Sales & Support Offices: across the country : Distributors & Channel partners World Wide Vote

Company reserves rights to add/delete/modify the contents / technical specificationsof the catalogue without prior notice

Puci