

X-Series

UV-Vis Spectrophotometer with Xenon lamp



EPCC / PRODUCTS / APPLICATION / SOFTWARE / ACCESSORIES / CONSUMABLES / SERVICES

Analytical Technologies Limited

An ISO 9001 Certified Company

www.analyticalgroup.net

►► Product Description:

The UV-Vis spectrophotometer adopts Xenon flash lamp as light source, which can be used for 7 years. The latest ARM system and long optical system ensure high accuracy and good stability of the instrument. They are the best choice of high quality spectrophotometer.

►► Feature

- Imported Xenon lamp makes the instrument more fast & convenient. it can be operated immediately after starting without preheating.
- the in-house massive memory is capable of saving up to 1024M for test data & working curves. It supports USB storage. The USB port can be used for data transfer, which is easily exported to Excel for further processing, analysis and storage.
- Powerful functions like Photometric measurement, Quantitative measurement, Kinetics, Spectrum scan, DNA\Protein test, multi-wavelength test, etc
- Large room for samples can hold cuvettes of various specifications.
- Auto 8-cell holder is optional.
- 21 CFR Management software is optional.

►► Specifications:

Model	2080T
Optical System	Czerny-Turner mount, Double beam monochromator
Wavelength Range	190-1100 nm
Spectral Bandwidth	1.0 nm to 2.0 nm Variable
Wavelength Accuracy	±0.03nm
Wavelength Repeatability	≤0.05nm(546.11nm mercury line)
Resolution	1.5 nm
Photometric Accuracy	±0.0002 Abs (0 to 0.5 Abs), ±0.0004 Abs (0.5 to 1 Abs) 1A: ±0.006A 2A: ±0.010A (Measured at 440nm using calibrated neutral density filters traceable to NIST)
Photometric Repeatability	±0.0002 Abs (0 to 1.0 Abs)
Photometric Range	>3.5 Abs ~4Abs, at 0-400%T
Stray Light	<1% at 198nm(KCL) ≤0.006%T, at 220nm(NaI) ≤0.004%T, at 340nm(NaNO ₂) ≤0.008%T, at 370nm
Drift	<0.0008A/hr
Baseline Correction	Automatic
Measuring Principle	dual silicon detector
Data collection rate	80Hz
Calibration	internal

Noise	<±0.00002Abs
Stability	±0.0004A/h@500nm
Baseline Flatness	±0.0001 A (200-800nm)
Work mode	Absorbance, % Transmittance, % Reflectance, Kubelka-Munk, log (1/R), log (Abs), Abs*Factor, Intensity, Kinetic
Data intervals	0.1, 0.5, 1, 2, 5, 10
Operational mode	scan, fixed, quantitative, rabskating
Absorbance ratio	2.04
Scanning speed	<1-6000nm/min
Wavelength setting	Auto
Display	10.1" color touch LCD
Light Source	Xenon flash lamp
Detector	Dual Silicon Photodiode
Output	USB/RS232, LAN Port
Ambient temperature	5°C to 40°C
Ambient humidity	25 to 85%
Power	AC 220V/50Hz or AC 110V/60Hz
Power Consumption	70 watt
Dimension	590 x 475 x 250mm
Net Weight	20kg
Shipping Size	770*630*340mm
Gross Weight	27kg

►► UV SPECTRA TM Control Software:

The Analytical windows based PC application software UV/Vis analyst takes the best features of the standalone version plus more powerful data processing. Expanded data collection and storage capability. It comes standard with Analytical PC models and is optional to stand alone models.

The PC application software offers: Photometric Mode, Quantitative test (standard curve), Wavelength Scan, Kinetics, DNA/Protein, Multi-Wavelength, System Utility

6-Cell turret, operating software with latest configuration, automatic monitor power-off time setting function, Intelligent start function etc. Scale changing, Trace, Statistical calculation, Spectrum overwriting, Peak detection Smoothing, Differentiation, Area calculation, Rate calculating, nucleic acid etc.

File or report output in CSV format Data/measurement condition saving functions, file search function, Wavelength calibration, Lamp usage time monitoring, Sample chamber opening/closing detection, Performance evaluation. Performance evaluation using mercury lamps, Maintenance history storage

Regulatory compliances



Corporate Social Responsibility

Analytical Foundation is a nonprofit organization (NGO) found for the purpose of:



Analytical
Foundation

1. Research & Innovation Scientist's awards/QC Professional Award : Quality life is possible by innovation only and the innovation is possible by research only, hence ANALYTICAL FOUNDATION is committed to identify such personalities for their contributions across various field of Science and Technology and awarding them yearly. To participate for award, send us your details of research / testing / publication at Info@analyticalfoundation.org

2. Improving quality of life by offering YOGA Training courses, Work shops/Seminars etc.

3. ANALYTICAL FOUNDATION aims to DETOXYFY human minds,souls and body by means of yoga, Meditation, Ayurveda, Health Care, Awards, Media, Events, Camps etc.

Reach us @



 **Analytical**®
Technologies Limited

HPLC Solutions MultipleLabs Analytical Bio-Med Analytical Distributors Analytical Foundation (Trust)

Corporate & Regd. Office:
Analytical House, # E67 & E68,
Ravi Park, Vasna Road, Baroda,
Gujarat 390 015. INDIA

T: +91 265 2253620
+91 265 2252839
+91 265 2252370
F: +91 265 2254395

E: info@hplctechnologies.com
info@multiplelabs.com
info@analyticalgroup.net
info@analyticalbiomed.com

W. www.analyticalgroup.net
www.hplctechnologies.com
www.multiplelabs.com
www.ais-india.com

Sales & Support Offices:
across the country :
Distributors & Channel
partners World Wide